



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
http://accuratetestlab.com
Lic# 2026-R-217916€

Certificate of Analysis

1 of 1



Klow 80mg

2608AFL1431.4988 | ATL-38751

PHOTO



SAMPLE INFO

Lot #	H1403	Matrix	Peptide
Client	Infinity Biolabs	Type	Vial (Injectable)
Received	08/18/2026	Storage Cond.	
Reported	08/21/2026	Intended Use	Research Use Only
Appearance	Blue Powder	Labeled Content	


SUMMARY

99.88%
Purity

Confirmed
Identity

CHROMATOGRAM

mAU



PEPTIDES

Complete

Date Tested: 08/21/2026

Compound	mg/unit	Status
BPC-157	10.00	Tested
GHK-Cu	74.01	Tested
KPV	11.70	Tested
TB-500	9.87	Tested
Total	105.58	

COA-12 Peptides Rev. 2

Lise Berthe-Laurent - Laboratory
Director 08/21/2026

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Powered by confident

2608AFL1431.4988